Product SURFACE SANITIZER (103)

Revision date 18 May 2021

Revision 3



Safety Data Sheet (SDS)

according to Regulation (EC) No. 1907/2006

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name SURFACE SANITIZER (103)

Product no. HM103

Other means of identification No information available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

For professional use only.

Uses advised againstNo uses advised against are identified.

1.3 Details of the supplier of the safety data sheet

Supplier Kitchenmaster NI Ltd

11 Comber Road

Belfast BT8 8AN United Kingdom Tel: 028 90814777

Contact person sales@kitchenmaster-ni.com

1.4 Emergency telephone number

Emergency telephone Emergency Telephone Number: 028 9081 4777 08:30 – 17:00 Monday to Thursday 08:30 –

16:30 Friday

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and chemical hazards Not classified Human health Not classified

Environment Aquatic Chronic 3 - H412

2.2 Label elements

Contains Not applicable

Detergent labeling <5% non-ionic surfactants

Label in accordance with (EC) no.

1272/2008

No pictogram required

Signal word No Signal Word

Hazard statements H412 Harmful to aquatic life with long lasting effects.

Precautionary statements Prevention

P273 Avoid release to the environment.

Disposal

P501 Dispose of contents/ container to a local hazardous waste disposal facility in

accordance with all applicable regulations.

2.3 Other hazards

None known.

Section 3: Composition/information on ingredients

3.1 Substance

Not applicable.

3.2 Mixtures

Name	Product identifier	Regulation (EC) No 1272/2008	%
Didecyldimethylammonium chloride	CAS-No.: 7173-51-5 EC No.: 230-525-2 REACH Reg No.: 01-2119945987-15-XXXX	Flam. Liq 3- H226, Aquatic Chronic 1 - H410	0.1-0.9%
propan-2-ol	CAS-No.: 67-63-0 EC No.: 200-661-7 REACH Reg No.: 01-2119457558-25-XXXX	Eye Irrit.2A - H319, Flam. Liq 2- H225, STOT SE 3 - H336	<0.1%

The full text for all hazard statements are displayed in section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

Didecyldimethylammonium chloride: M Factor chronic = 10.

Section 4: First aid measures

4.1 Description of first aid measures

General information Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if

symptoms persist, always call a doctor. Seek medical attention for all burns and eye injuries, regardless how minor they may seem. First aid personnel must be aware of own risk during

rescue.

Inhalation Move the exposed person to fresh air at once. Get medical attention if any discomfort

continues. If breathing is difficult, provide oxygen. If not breathing, give artificial respiration

and get medical attention.

Ingestion Do not induce vomiting. Thoroughly rinse the mouth with water. If vomiting occurs, keep

head low so that stomach content doesn't enter the lungs. Get medical attention if discomfort

occurs. Never give anything by mouth to an unconscious person.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

the skin immediately with water. Get medical attention if irritation develops or persists.

Eye contact

Avoid contaminating unaffected eye. Immediately flush eyes with plenty of water for at least

15 minutes, lifting lower and upper eyelids occasionally. Remove contact lenses if present

and easy to do so. Get prompt medical attention.

4.2 Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation High concentrations may be irritating to upper respiratory tract and mucous membranes.

Ingestion Exposure to liquid product may cause irritation to mouth, throat and esophagus.

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact May cause temporary eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to the physician Treat symptomatically.

Section 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media Use fire-extinguishing media appropriate for surrounding materials. This product is not

flammable.

Unsuitable extinguishing media High volume water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products When heated, vapours/gases hazardous to health may be formed.

Unusual fire & explosion hazards No unusual fire or explosion hazards noted.

Specific hazards

No specific hazards are identified for the product.

5.3 Advice for firefighters

Special fire fighting procedures Ventilate closed spaces before entering them. If possible, fight fire from protected position.

Keep up-wind to avoid fumes. Water spray should be used to cool containers. Avoid

breathing fire vapours.

Protective equipment for firefighters Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard

EN 469 will provide a basic level of protection for chemical incidents.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation

of vapours and contact with skin and eyes. Eliminate all sources of ignition. Provide adequate ventilation. In case of inadequate ventilation, use respiratory protection. Do not touch or

walk through spilled material. Wash hands after use.

For emergency responders Follow safe handling advice and personal protective equipment recommendations for normal

use of product.

6.2 Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent entry to sewers and public

waters. Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Spill clean up methods Stop leak if possible without risk. Absorb spillage with non-combustible, absorbent material -

sand. In case of a large scale of spill, dyke area with sand to stop the spill spreading. Flush with plenty of water to clean spillage area. Floors may become slippery, avoid falls. Place

waste material into suitable labelled sealed containers for disposal.

6.4 Reference to other sections

Reference to other sections See section 1 for emergency contact. For personal protection, see section 8. For waste

disposal, see section 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Handling Use proper personal protection when handling (refer to Section 8). Avoid spilling, skin and

eye contact. Avoid inhalation of vapours. Read and follow manufacturer's recommendations. Keep away from heat, sparks and open flame. Do not mix with other chemicals. When using,

do not eat, drink or smoke. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Storage precautions Keep upright, locked up and out of reach of children. Keep away from heat, sparks and open

flame. Store in tightly closed original container in a dry, cool and well-ventilated place.

Storage class Unspecified storage.

7.3 Specific end use(s)

Specific end use(s)The identified uses for this product are detailed in Section 1.2.Usage descriptionUse only according to directions. Replace and tighten cap after use.

Section 8: Exposure controls/Personal protection

8.1 Control parameters

Component	STD	TWA ([8 Hrs)	STEL (1	l5mins)	Notes
propan-2-ol	OEL	200 ppm		400 ppm		Sk
propan-2-ol	WEL	400 ppm	999 mg/m ³	500 ppm	1250 mg/m ³	

Ingredient comments WEL - Workplace Exposure Limits - EH40/2005 Workplace exposure limits. Ireland, Occupational Exposure Limits 2021.

8.2 Exposure Controls

Protective equipment

Hand protection

Eye protection



Engineering measures Provide adequate ventilation, including appropriate local extraction, to ensure that the

defined occupational exposure limit is not exceeded.

Respiratory equipmentUse respiratory protection as specified by an industrial hygienist or other qualified

professional if concentrations exceed the limits listed in Section 8. Suggested PPE:

Respirator with a vapour filter (EN 141). ABEK (EN 14387).

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as CEN (EU). Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Where hand contact with the product may occur use gloves approved to relevant standards.

Where hand contact with the product may occur use gloves approved to relevant standards (e.g. Europe: EN374.) EU Directive 89/686/EEC. Selection of the glove material depends on consideration of the penetration times, rates of diffusion and degradation, and concentration specific to the workplace. Gloves must be inspected prior to use.

Suggested material: Nitrile. Minimum layer thickness: 0.4 mm. Minimum breakthrough time / gloves: 480 min. Consult manufacturer for specific advice. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

Wear safety goggles/face shield to prevent any possibility of eye contact. Use equipment for eye protection tested and approved under appropriate government standards such as EN

166(EU).

Other protection Wear appropriate clothing to prevent any possibility of skin contact. Personal protective

equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist. The selected clothing must satisfy the

European norm standard EN 943.

Hygiene measures DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before

eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated.

Promptly remove any clothing that becomes contaminated.

Process conditions Ensure that eye flushing systems and safety showers are located close by in the work place.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

AppearanceLiquid.ColourGreen. Clear.OdourCharacteristic.

Odour threshold - lower No information available as testing has not been completed.

pH-Value, Conc. Solution 7 - 9

 $\textbf{pH-Value, Diluted solution} \qquad \qquad \text{Not applicable as the product is a concentrated solution}.$

Melting point No information available as testing has not been completed.

Initial boiling point and boiling

range

No information available as testing has not been completed.

Flash point Non-Flammable

Evaporation rate No information available as testing has not been completed.

Flammability state No information available as testing has not been completed.

Flammability limit - lower(%)Does not apply, product is not flammable.

Flammability limit - upper(%) Does not apply, product is not flammable.

Vapour pressure No information available as testing has not been completed.

Vapour density (air=1) No information available as testing has not been completed.

Relative density 0.995 - 1.010 kg/l (at 20°C)

Bulk density Not applicable as the product is a liquid.

Solubility Soluble in water.

Decomposition temperature No information available as testing has not been completed.

Partition coefficient; n-

Octanol/Water

Does not apply, the product is a mixture.

Auto ignition temperature (°C) No information available as testing has not been completed.

Viscosity No information available as testing has not been completed.

Explosive properties Not classified as explosive.

9.2 Other information

Molecular weight Does not apply, the product is a mixture.

Volatile organic compound No information available as testing has not been completed.

Other information None noted.

Section 10: Stability and reactivity

10.1 Reactivity

Reactivity May react with: Strong oxidizing agents, strong acids, and strong bases.

10.2 Chemical stability

Stability Stable under normal temperature conditions and recommended use.

10.3 Possibility of hazardous reactions

Hazardous reactions For information on hazardous reaction see section 10.1.

Hazardous polymerisationWill not polymerise.Polymerisation descriptionNot applicable.

10.4 Conditions to Avoid

Conditions to avoid Avoid storing in large quanitites or for long periods of time. Heat, sparks, open flames,

temperature extremes and direct sunlight.

10.5 Incompatible materials

Materials to avoid Do not mix with other chemicals unless listed on directions. Avoid strong oxidising agents,

bases, strong acids.

10.6 Hazardous decomposition products

Section 11: Toxicological information

11.1 Information on hazard classses as defined in Regulation (EC) No. 1272/2008

Toxicological information No toxicological information for the overall finished product.

Acute toxicity (Oral LD50)No information available as testing has not been completed.Acute toxicity (Dermal LD50)No information available as testing has not been completed.Acute toxicity (Inhalation LD50)No information available as testing has not been completed.

Serious eye damage/irritation May cause temporary eye irritation.

Skin corrosion/irritation The product is not classified as a skin corrosion/irritation hazard.

Respiratory sensitisationThe product is not classified as a respiratory hazard. **Skin sensitisation**The product is not classified as a skin sensitisation hazard.

Germ cell mutagenicity The product is not classified as a mutagen.

Carcinogenicity The product is not classified as a carcinogen hazard.

Specific target organ toxicity - Single exposure:

STOT - Single exposure The product is not classified as a single exposure specific target organ toxin.

Specific target organ toxicity - Repeated exposure:

STOT - Repeated exposureThe product is not classified as a repeat exposure specific target organ toxin.

Inhalation High concentrations may be irritating to upper respiratory tract and mucous membranes.

Ingestion Exposure to liquid product may cause irritation to mouth, throat and esophagus.

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eve contact May cause temporary eye irritation.

Waste managementWhen handling waste, consideration should be made to the safety precautions applying to

handling of the product.

Routes of entry Eyes, skin, ingestion or inhalation.

Target organs Eyes, skin, digestive system, respiratory system.

Aspiration hazards: The product is not classified as an aspiration hazard. **Reproductive toxicity:** The product is not classified as a reproductive hazard.

Name	LD50 oral	LD50 dermal	LD50 inhalation
Didecyldimethylammonium chloride	238.00mg/kg Rat	3342.00mg/kg Rabbit	

11.2 Information on other hazards

Information on other hazards None known.

Section 12: Ecological information

12.1 Toxicity

Acute toxicity - FishNo information available as testing has not been completed.Acute toxicity - Aquatic invertebratesNo information available as testing has not been completed.Acute toxicity - Aquatic plantsNo information available as testing has not been completed.Acute toxicity - MicroorganismsNo information available as testing has not been completed.Chronic toxicity - FishNo information available as testing has not been completed.Chronic toxicity - AquaticNo information available as testing has not been completed.

invertebrates

Chronic toxicity - Aquatic plantsChronic toxicity - Microorganisms
No information available as testing has not been completed.
No information available as testing has not been completed.

Ecotoxicity The product contains a substance which is harmful to aquatic life with long lasting effects.

Eco toxilogical information No ecological toxicity available on the overall finished product.

12.2 Persistence and degradability

DegradabilityThe degradability of the product has not been stated.Biological oxygen demandNo information available as testing has not been completed.Chemical oxygen demandNo information available as testing has not been completed.

12.3 Bioaccumulative potential

Bioaccumulative potential Bioaccumulation factor

No data available on bioaccumulation. No information available as testing has not been completed.

Partition coefficient; n-

Does not apply, the product is a mixture.

Octanol/Water

12.4 Mobility in soil

Mobility Soluble in water.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment The product does not contain any PBT or vPvB Substances.

12.6 Endocrine disrupting properties

Endocrine disrupting propertiesThe product does not contain any substances with endocrine disrupting properties at a

concentration above or equal to 0.1%.

12.7 Other adverse effects

Other adverse effects None known.

Name	Acute toxicity (Fish)	Acute toxicity (Aquatic invertebrates)	Acute toxicity (Aquatic plants)
Illidecyldimethylammonilim chloride	LC50 96 Hours 0.19mg/l Pimephales promelas (Fat-head Minnow)	EC50 48 Hours 0.06mg/l Daphnia magna	

Section 13: Disposal considerations

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

13.1 Waste treatment methods

Disposal methods Dispose of waste and residues in accordance with local authority requirements.

Section 14: Transport information

14.1 UN number or ID number

UN no. (ADR)
UN no. (IMDG)
UN no. (IATA)
Not applicable.
Not applicable.

14.2 UN proper shipping name

ADR proper shipping name Not applicable. IMDG proper shipping name Not applicable. IATA proper shipping name Not applicable.

14.3 Transport hazard class(es)

ADR class Not applicable.

IMDG class Not applicable.

IATA class Not applicable.

Transport labels Not applicable

14.4 Packing group

ADR/RID/ADN packing group Not applicable.

IMDG packing group Not applicable.

IATA packing group Not applicable.

14.5 Environmental hazards

ADR No IMDG No IATA No

14.6 Special precautions for user

EMS Not applicable.
Emergency action code Not applicable.
Hazard no. (ADR) Not applicable.
Tunnel restriction code Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals

(REACH).

REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)

(Amendment etc.) (EU Exit) Regulations 2019.

Approved code of practice Workplace Exposure Limits Guidance Note EH40/2005.

2021 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2021) and the Safety, Health and Welfare at Work (Carcinogens)

Regulations (2001-2019)

15.2 Chemical safety assessment

Chemical safety assessment No chemical safety assessment has been carried out.

Section 16: Other information

General information This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010.

Revision commentsThis is a third issue. [1]Information updated. [2]Information updated. [3]Information

 $updated.\ [9] Information\ updated.\ [11] Information\ updated.\ [12] Information\ updated.$

 $[15] Information\ updated.$

Revision date 18 May 2021 **Supersedes date** 06 July 2017

Revision 3

Safety data sheet status Approved.

Hazard statements in full

EUH071 Corrosive to the respiratory tract. H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H336 May cause drowsiness or dizziness.

H410 Very toxic to aquatic life with long lasting effects.

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.

H302 Harmful if swallowed.H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.