

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Reload 3 Concentrated Toilet Cleaner

Revision: 2 Revision date: 01/09/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Reload 3 Concentrated Toilet Cleaner Product name

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen); [PC35] Washing and cleaning products (including solvent based products);

1.3 Details of the supplier of the safety data sheet

Company Kitchenmaster (NI) Ltd

Address 11 Comber Road, Carryduff, Belfast

BT8 8AN

United Kingdom

Web www.kitchenmaster-ni.com **Telephone**

028 9081 4777 Email:

1.4 Emergency telephone number

Emergency telephone

Supplier contact: 028 9081 4777 (Mon-Thur 08:30-17:00, Fri 08:30-16:30).

In the event of a medical accident involving this product, please contact your GP or local A&E dept.

Ireland: National Poisons Centre, Beaumont Hospital, Dublin 9 Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.2 Classification - EC

1272/2008

number

Skin Corr. 1B: H314;

2.2 Label elements

Hazard pictograms



Signal Word

Danger

Hazard Statement Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement:

Prevention

Precautionary Statement: Response

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 -Immediately call a POISON CENTER/doctor/ .

P363 - Wash contaminated clothing before reuse.

Precautionary

Disposal

Statement Storage

P405 - Store locked up.

Precautionary Statement:

P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous

waste.

Further information

Contains:.phosphoric acid.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

EC 1272/2008

Chemical name	Index No.	CAS No.	EC No.	REACH registration Number	Conc (%w/w)	Classification
Orthophosphoric acid	015-011-00-6	7664-38-2	231-633-2	01-2119485924-00	10-20%	Skin Corr. 1B: H314;
Quaternary ammonium compounds, trimethyltallow alkyl, chlorides (*R01)		8030-78-2	232-447-4		1-10%	Flam. Liq. 2: H225; Acute Tox. 4: H302; Skin Corr. 1B: H314; STOT SE 3: H336; Aquatic Acute 1: H400;
Sodium xylenesulphonate		1300-72-7	215-090-9	01-2119513350-56	1-10%	Eye Irrit. 2: H319;
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7	01-2119457558-25		Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;

SECTION 4: First aid measures

4.1 Description of first aid measures

4.1 Description of instala measures				
Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.			
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Wash with water. Seek medical attention.			
	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.			
3	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.			

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	Irritant, Severe respiratory.
Eye contact	Causes severe burns.
Skin contact	Causes severe burns.
Ingestion	Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

Corrosive. Burning produces irritating, toxic and obnoxious fumes.

5.3 Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.

6.2 Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3 Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing.

7.2 Conditions for safe storage, including any incompatibilities Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. For incompatibilities refer to section 10.4. 7.3 Specific end use(s) No specific advice for end use available. SECTION 8: Exposure controls/personal protection 8.1 Control parameters 8.1.1 Exposure Limit Values - UK WEL 8-hr limit mg/m3: 1 WEL 15 min limit mg/m3: 2 Orthophosphoric acid WEL 8-hr limit ppm: 400 WEL 8-hr limit mg/m3: 999 Isopropanol (Propan-2-ol) WEL 15 min limit ppm: 500 WEL 15 min limit mg/m3: 1250 8.1.1 Occupational Exposure Limits Values (OELVs) - Ireland Occupational Exposure Limit Value (8-hour 1 mg/m3 reference period) Orthophosphoric acid Occupational Exposure Limit Value (15-2 mg/m3 minute reference period) Occupational Exposure Limit Value (8-hour 200 ppm reference period) Isopropanol (Propan-2-ol) Occupational Exposure Limit Value (15-400 ppm minute reference period) DNEL: Derived no-effect level. **Exposure Pattern - Workers** Long-term - inhalation - Local effects 2.92 mg/m³ Orthophosphoric acid Long-term - inhalation - Systemic 3.32 mg/m³ Long-term - dermal - Systemic **Quaternary ammonium** 4.7 mg/kg compounds, trimethyltallow alkyl, chlorides (*R01) Long-term - inhalation - Systemic effects 53.6 mg/m³ Long-term - dermal - Systemic effects 7.6 mg/kg Sodium xylenesulphonate Long-term - inhalation - Systemic effects 500 mg/m³ Long-term - dermal - Systemic effects 888 mg/kg Isopropanol (Propan-2-ol) **Exposure Pattern - General population** Long-term - inhalation - Local effects 0.73 mg/m³ Orthophosphoric acid

0.98 mg/m³

Long-term - inhalation - Systemic

Quotornory ammonium	Long-term - dermal - Systemic Long-term - oral - Systemic effects	2.83 mg/kg 2.83 mg/kg	
	Long-term - inhalation - Systemic effects Long-term - dermal - Systemic effects Long-term - oral - Systemic effects	13.2 mg/m³ 3.8 mg/kg 3.8 mg/kg	
Sodium xylenesulphonate	Long term of all cyclemic checto	5.6 lilg/kg	
	Long-term - inhalation - Systemic effects	80 mg/m ³	
	Long-term - dermal - Systemic effects	319 mg/kg	
Isopropanol (Propan-2-ol)	Long-term - oral - Systemic effects	26 mg/kg	

8.2 Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Take off immediately all contaminated clothing. Avoid contact with skin and eyes. Wash hands after handling the product.

8.2.1 Appropriate engineering controls Ensure adequate ventilation of the working area.

8.2.2 Individual protection

Wear chemical protective clothing.

measures Eye / face protection

Safety glasses. (EN166)

Skin protection -Hand protection Respiratory protection

Chemical resistant gloves (PVC). (EN 374)

Not normally required. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Liquid Colour Blue **Odour** Characteristic **pH** <3 Melting point Not determined Freezing Point Not determined Initial boiling point Not determined Flash point Not determined Evaporation rate Not determined Flammability (solid, gas) Not applicable to liquids Fat Solubility Not determined Partition coefficient Not determined Autoignition temperature Not determined Viscosity 150 cp @20°C (4%)

Explosive properties Not explosive Oxidising properties Not oxidising

Solubility Soluble in water

Vapour pressure Not determined

9.2 Other information

Conductivity Not determined Surface tension Not determined Specific gravity 1.14 g/cm³

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No other adverse effects known.

10.4 Conditions to avoid

Avoid contact with: Alkalis, Chlorine-based bleaching agents

SECTION 11: Toxicological information 11.1 Information on toxicological effects Skin corrosion/irritation Causes burns. Germ cell mutagenicity No mutagenic effects reported. Carcinogenicity No carcinogenic effects reported. Reproductive toxicity No observed effect level. 11.1.4 Toxicological Information Inhalation Rat LC50/15min: NDA Dermal Rat LD50: NDA Orthophosphoric acid Oral Rat LD50: NDA Oral Mouse LD50 NDA Dermal Rabbit LD50: NDA Dermal Guinea Pig LD50: NDA Inhalation Rat LC50/15min: NDA Dermal Rat LD50: NDA Quaternary ammonium Oral Rat LD50: 1260 mg/kg compounds. Oral Mouse LD50: NDA trimethyltallow alkyl, chlorides (*R01) Dermal Rabbit LD50: NDA Dermal Guinea Pig LD50: NDA Dermal Rat LD50: NDA Inhalation Rat LC50/15min: NDA Oral Rat LD50: NDA Oral Mouse LD50 >7000mg/kg Sodium xylenesulphonate Dermal Rabbit LD50: >200 Dermal Guinea Pig LD50: NDA Inhalation Rat LC50/15min: NDA Dermal Rat LD50 NDA Isopropanol (Propan-2-ol) Oral Rat LD50: NDA Oral Mouse LD50: 3600 mg/kg Dermal Rabbit LD50: NDA Dermal Guinea Pig LD50 NDA **SECTION 12: Ecological information** 12.1 Toxicity Algae EC50/72h: NDA Orthophosphoric acid Guppy LC50/96h: NDA Daphnia LC50/48h: NDA Algae EC50/72h: NDA Quaternary ammonium compounds, Guppy LC50/96h NDA trimethyltallow alkyl, chlorides (*R01) Daphnia LC50/48h: NDA Algae EC50/72h: 310mg/ml Guppy LC50/96h: >1000mg/ Sodium xylenesulphonate ml 40.3000 Daphnia LC50/48h: mg/l 1000.0000 Fish LC50/96h: mg/l Isopropanol (Propan-2-ol) Daphnia LC50/48h: NDA Green algae EC50/96h: NDA 12.2 Persistence and degradability No data is available on this product. 12.3 Bioaccumulative potential No data is available on this product. Partition coefficient No data is available on this product. 12.4 Mobility in soil No data is available on this product. 12.5 Results of PBT and vPvB assessment Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

Disposal of packaging

Dispose of in compliance with all local and national regulations.

Empty containers can be cleaned with water.

Further information

European Waste Catalogue: 20 01 14 acids.

SECTION 14: Transport information

Hazard pictograms



14.1 UN number

UN1805

14.2 UN proper shipping name

PHOSPHORIC ACID, SOLUTION

14.3 Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

14.4 Packing group

Packing group Ш

14.5 Environmental hazards

Environmental hazards	No
Marine pollutant	No

ADR/RID

Hazard	D	80
Tunnel	Category	Е

IMDG

EmS Code F-A-S-B

IATA

Packing Instruction (Cargo) Maximum quantity **Packing Instruction** (Passenger) 5L Maximum quantity

856

60L 852

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

• Regulation(EC)No.1907/2006 - REACH

Regulation(EC)No1272/2008 - CLP

• Regulation(EC)No.648/2004 - Detergents regulation

Ingredients according to EC Detergents Regulation 648/2004

Less than 5%: Cationic surfactants

Other ingredients: Perfume

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

SECTION 16: Other information

Other information

Revision This document differs from the previous version in the following areas:.

Changes to sections 1, 3, 8, 9, 11, 12, 15

LC: Lethal concentration. Acronyms

LD: Lethal dose.

NDA - No data available. NOAEC: No observed adverse effect concentration. NOAEL: No observed adverse effect level. NOEC: No observed effect concentration. NOEL: No observed effect level. PBT: Persistent, bioaccumulative and toxic. SVHC. Substance of very high concern. vPvB. Very persistent and very bioaccumulative. *R01 - Polymer REACH number not available. Text of Hazard Statements Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation. in Section 3 Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Acute Tox. 4: H302 - Harmful if swallowed. STOT SE 3: H336 - May cause drowsiness or dizziness.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.