



Safety data sheet
according to UK REACH (SI 2020/1577) as amended

Printing date 26.03.2025

Version number 2 (replaces version 1)

Revision: 26.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Dazzle Glass & Stainless Steel Cleaner
- **Product Code:** HMDAZZLEHD
- **Registration number** Mixture
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Product category** PC35 Washing and cleaning products (including solvent based products)
- **Application of the substance / the mixture** Cleaning agent/ Cleaner
- **Uses advised against** The product is strictly intended for professional use only.
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**
Kitchenmaster Group Ltd
11 Comber Road
Carryduff
Belfast, BT8 8AN

Tel: 028 9081 4777
Email: sales@kitchenmaster-ni.com
- **Further information obtainable from:** Product safety department.
- **1.4 Emergency telephone number:**
Members of the public seeking specific information on poisons should contact:
In England and Wales: NHS 111 - dial 111
In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to GB-CLP** The product is not classified, according to the GB CLP regulation.
- **2.2 Label elements**
- **Labelling according to GB-CLP** Not applicable
- **Hazard pictograms** Not applicable
- **Signal word** Not applicable
- **Hazard statements** Not applicable
- **Additional information:**
EUH210 Safety data sheet available on request.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** An aqueous solution of the substances listed below with multifunctional additives.

(Contd. on page 2)

— GB —



Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 26.03.2025

Version number 2 (replaces version 1)

Revision: 26.03.2025

Trade name: Dazzle Glass & Stainless Steel Cleaner

(Contd. of page 1)

| | | |
|---|--|-------------|
| · Dangerous components: | | |
| CAS: 5131-66-8 EINECS: 225-878-4 Index number: 603-052-00-8 Reg.nr.: 01-2119475527-28-XXXX | 3-butoxypropan-2-ol ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319 | 2.5 – < 10% |
| CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3 Reg.nr.: 01-2119457435-35-XXXX | 1-Methoxy-2-propanol ⚠ Flam. Liq. 3, H226; ⚠ STOT SE 3, H336 | 2.5 – 10% |

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately rinse with water.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Check for and remove any contact lenses.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **Information for doctor:** Treat symptomatically and supportively.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Carbon monoxide and carbon dioxide
Sulphur Oxides (SO_x)
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Do not inhale explosion gases or combustion gases.
Wear fully protective suit.

(Contd. on page 3)



Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 26.03.2025

Version number 2 (replaces version 1)

Revision: 26.03.2025

Trade name: Dazzle Glass & Stainless Steel Cleaner

(Contd. of page 2)

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

· 6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.**· 7.2 Conditions for safe storage, including any incompatibilities****· Storage:****· Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.**· Information about storage in one common storage facility:** Store away from oxidising agents.**· Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.**· Storage class:** 12**· 7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters**· Ingredients with limit values that require monitoring at the workplace:****CAS: 107-98-2 1-Methoxy-2-propanol**WEL Short-term value: 560 mg/m³, 150 ppmLong-term value: 375 mg/m³, 100 ppm

Sk

(Contd. on page 4)



Safety data sheet
according to UK REACH (SI 2020/1577) as amended

Printing date 26.03.2025

Version number 2 (replaces version 1)

Revision: 26.03.2025

Trade name: Dazzle Glass & Stainless Steel Cleaner

(Contd. of page 3)

· DNELs**CAS: 5131-66-8 3-butoxypropan-2-ol**

| | | |
|------------|----------------------------|---|
| Oral | Long-term systemic effects | 12.5 mg/kg bw/day (general population) |
| Dermal | Long-term systemic effects | 22 mg/kg bw/day (general population) 52 mg/kg bw/day (worker) |
| Inhalative | Long-term systemic effects | 43 mg/m ³ (general population) 147 mg/m ³ (worker) |

CAS: 107-98-2 1-Methoxy-2-propanol

| | | |
|------------|-----------------------------|---|
| Oral | Long-term systemic effects | 33 mg/kg bw/day (general population) |
| Dermal | Long-term systemic effects | 78 mg/kg bw/day (general population) 183 mg/kg bw/day (worker) |
| Inhalative | Long-term systemic effects | 43.9 mg/m ³ (general population) 369 mg/m ³ (worker) |
| | Short-term systemic effects | 553.5 mg/m ³ (worker) |
| | Short-term local effects | 553.5 mg/m ³ (worker) |

· PNECs**CAS: 5131-66-8 3-butoxypropan-2-ol**

| | |
|------------------------------------|------------|
| Freshwater | 525 µg/L |
| Freshwater - Intermittent releases | 5.25 mg/L |
| Marine water | 52.5 µg/L |
| Sewage Treatment Plant | 10 mg/L |
| Sediment (freshwater) | 2.36 mg/kg |
| Sediment (marine water) | 236 µg/kg |
| Soil | 160 µg/kg |

CAS: 107-98-2 1-Methoxy-2-propanol

| | |
|------------------------------------|------------|
| Freshwater | 10 mg/L |
| Freshwater - Intermittent releases | 100 mg/L |
| Marine water | 1 mg/L |
| Sewage Treatment Plant | 100 mg/L |
| Sediment (freshwater) | 52.3 mg/kg |
| Sediment (marine water) | 5.2 mg/kg |
| Soil | 4.59 mg/kg |

· Additional information: The lists valid during the making were used as basis.**· 8.2 Exposure controls****· Appropriate engineering controls** No further data; see section 7.**· Individual protection measures, such as personal protective equipment****· General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Avoid contact with the eyes and skin.

(Contd. on page 5)



Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 26.03.2025

Version number 2 (replaces version 1)

Revision: 26.03.2025

Trade name: Dazzle Glass & Stainless Steel Cleaner

(Contd. of page 4)

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

· **Respiratory protection:** Not required.

· **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

· **Body protection:**



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· **Physical state**

Liquid

· **Colour:**

Light blue

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range** 100 °C (CAS: 7732-18-5 Water)

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

Not applicable.

· **Decomposition temperature:**

Not determined.

(Contd. on page 6)



Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 26.03.2025

Version number 2 (replaces version 1)

Revision: 26.03.2025

Trade name: Dazzle Glass & Stainless Steel Cleaner

(Contd. of page 5)

| | |
|---|---|
| · pH at 20 °C | 6 – 8 |
| · Viscosity: | |
| · Kinematic viscosity | Not determined. |
| · Dynamic: | Not determined. |
| · Solubility | |
| · water: | Fully miscible. |
| · Partition coefficient n-octanol/water (log value) | Not determined. |
| · Vapour pressure: | Not determined. |
| · Density and/or relative density | |
| · Density at 20 °C: | 0.99 – 1.01 g/cm ³ |
| · Relative density | Not determined. |
| · Vapour density | Not determined. |
| · 9.2 Other information | |
| · Appearance: | |
| · Form: | Liquid |
| · Important information on protection of health and environment, and on safety. | |
| · Ignition temperature: | Product is not self-igniting. |
| · Explosive properties: | Product does not present an explosion hazard. |
| · Solvent content: | |
| · VOC (EC) | 3.00 % |
| · Change in condition | |
| · Evaporation rate | Not determined. |
| · Information with regard to physical hazard classes | |
| · Explosives | Not applicable |
| · Flammable gases | Not applicable |
| · Aerosols | Not applicable |
| · Oxidising gases | Not applicable |
| · Gases under pressure | Not applicable |
| · Flammable liquids | Not applicable |
| · Flammable solids | Not applicable |
| · Self-reactive substances and mixtures | Not applicable |
| · Pyrophoric liquids | Not applicable |
| · Pyrophoric solids | Not applicable |
| · Self-heating substances and mixtures | Not applicable |
| · Substances and mixtures, which emit flammable gases in contact with water | Not applicable |
| · Oxidising liquids | Not applicable |
| · Oxidising solids | Not applicable |
| · Organic peroxides | Not applicable |
| · Corrosive to metals | Not applicable |
| · Desensitised explosives | Not applicable |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.

(Contd. on page 7)

— GB —



Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 26.03.2025

Version number 2 (replaces version 1)

Revision: 26.03.2025

Trade name: Dazzle Glass & Stainless Steel Cleaner

(Contd. of page 6)

- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:** Strong oxidising agents.
- **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Sulphur oxides (SO_x)

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

| | | |
|--|----------|------------------------|
| · LD/LC50 values relevant for classification: | | |
| CAS: 5131-66-8 3-butoxypropan-2-ol | | |
| Oral | LD50 | 3,300 mg/kg (rat) |
| CAS: 107-98-2 1-Methoxy-2-propanol | | |
| Oral | LD50 | > 2,000 mg/kg (rat) |
| Dermal | LD50 | > 2,000 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 6 mg/l (rat) |

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.
- **11.2 Information on other hazards**

| |
|--|
| · Endocrine disrupting properties |
| None of the ingredients are listed. |

SECTION 12: Ecological information

- **12.1 Toxicity**

| |
|---|
| · Aquatic toxicity: |
| CAS: 107-98-2 1-Methoxy-2-propanol |
| EC50 (96 h) > 20,000 mg/l (Bacteria) |

- **12.2 Persistence and degradability** The organic portion of the product is biodegradable.
- **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.

(Contd. on page 8)



Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 26.03.2025

Version number 2 (replaces version 1)

Revision: 26.03.2025

Trade name: Dazzle Glass & Stainless Steel Cleaner

(Contd. of page 7)

- **12.4 Mobility in soil** No further relevant information available.
 - **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
 - **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
 - **12.7 Other adverse effects**
 - **Additional ecological information:**
 - **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
-

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
 - **Recommendation**
Recommended Hierarchy of Controls:
 - Minimise waste;
 - Reuse if not contaminated;
 - Recycle, if possible; or
 - Safe disposal (if all else fails).Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.
Contact waste processors for recycling information.
Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.
 - **Uncleaned packaging:**
 - **Recommendation:**
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
Disposal must be made according to official regulations.
Containers, even those that are “empty,” may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.
 - **Recommended cleansing agents:** Large quantities of water
-

SECTION 14: Transport information

| | |
|--|----------------|
| · 14.1 UN number or ID number | |
| · ADR/RID/ADN, IMDG, IATA | Not applicable |
| · 14.2 UN proper shipping name | |
| · ADR/RID/ADN, IMDG, IATA | Not applicable |
| · 14.3 Transport hazard class(es) | |
| · ADR/RID/ADN, ADN, IMDG, IATA | |
| · Class | Not applicable |

(Contd. on page 9)

—GB—



Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 26.03.2025

Version number 2 (replaces version 1)

Revision: 26.03.2025

Trade name: Dazzle Glass & Stainless Steel Cleaner

(Contd. of page 8)

| | |
|---|-----------------|
| · 14.4 Packing group | |
| · ADR/RID/ADN, IMDG, IATA | Not applicable |
| · 14.5 Environmental hazards: | Not applicable. |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable. |
| · UN "Model Regulation": | Not applicable |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

| |
|---|
| · Regulated explosives precursors |
| None of the ingredients are listed. |
| · Regulated poisons |
| None of the ingredients are listed. |
| · Reportable explosives precursors |
| None of the ingredients are listed. |
| · Reportable poisons |
| None of the ingredients are listed. |

- **Control Of Major Accident Hazards Regulations 2015 (COMAH)**
- **Named dangerous substances - ANNEX I** None of the ingredients are listed.

- **National regulations:**

- **Information about limitation of use:**

| Class | Share in % |
|-------|------------|
| NK | 3.0 |

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Relevant phrases**

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

(Contd. on page 10)

— GB —



Safety data sheet
according to UK REACH (SI 2020/1577) as amended

Printing date 26.03.2025

Version number 2 (replaces version 1)

Revision: 26.03.2025

Trade name: Dazzle Glass & Stainless Steel Cleaner

(Contd. of page 9)

H336 May cause drowsiness or dizziness.

· **Department issuing SDS:** Product safety department.

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 3: Flammable liquids – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3