Safety Data Sheet
according to UK REACH (SI 2020/1577) as amended

Issue date: 12.12.2025 Version number: 1 Revision date: 12.12.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name: Tile Clean**

· **Product Code:** HMTILE

· **Registration number** Mixture
· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
· **Product category** PC35 Washing and cleaning products (including solvent based products)
· **Application of the substance / the mixture** Cleaning agent/ Cleaner
· **Uses advised against** The product is strictly intended for industrial or professional use only.

· **1.3 Details of the supplier of the safety data sheet**
· **Supplier:**
Kitchenmaster Group Ltd
11 Comber Road
Carryduff
Belfast, BT8 8AN

Tel: 028 9081 4777
Email: sales@kitchenmaster-ni.com

· **Further information obtainable from:** Product safety department.
· **1.4 Emergency telephone number:**
Members of the public seeking specific information on poisons should contact:
In England and Wales: NHS 111 - dial 111
In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**
· **Classification according to GB-CLP**

Met. Corr.1	H290 May be corrosive to metals.
Skin Irrit. 2	H315 Causes skin irritation.
Eye Dam. 1	H318 Causes serious eye damage.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**
· **Labelling according to GB-CLP** The product is classified and labelled according to the GB CLP regulation.
· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labelling:**
Phosphoric acid
· **Hazard statements**
H290 May be corrosive to metals.

(Contd. on page 2)

Safety Data Sheet
according to UK REACH (SI 2020/1577) as amended

Issue date: 12.12.2025 Version number: 1 Revision date: 12.12.2025

Trade name: Tile Clean

(Contd. of page 1)

H315 Causes skin irritation.
H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.

· **Precautionary statements**

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local regulations.

· **2.3 Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable
· **vPvB:** Not applicable
· **Determination of endocrine-disrupting properties** Not applicable

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:** An aqueous solution of the substances listed below with multifunctional additives.

· **Dangerous components:**		
CAS: 7664-38-2 EINECS: 231-633-2 Index number: 015-011-00-6 Reg.nr.: 01-2119485924-24-XXXX	Phosphoric acid Met. Corr.1, H290; Skin Corr. 1B, H314; Acute Tox. 4, H302 Note: B ATE: LD50 oral: 500 mg/kg Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % Met. Corr.1; H290: C ≥ 20 %	10 – < 20%
CAS: 5329-14-6 EINECS: 226-218-8 Index number: 016-026-00-0 Reg.nr.: 01-2119488633-28-XXXX	Sulphamic acid Met. Corr.1, H290; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	2.5 – < 10%
CAS: 160901-19-9 NLP: 500-457-0 Reg.nr.: 01-2119490233-42-XXXX	Alcohols, C12 -13- branched and linear, ethoxylated (>5-<15 EO) Aquatic Acute 1, H400; Aquatic Chronic 2, H411	1 – < 2.5%
CAS: 68155-07-7 EC number: 931-329-6 Reg.nr.: 01-2119490100-53-XXXX	Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315	0.25 – < 1%

(Contd. on page 3)

Safety Data Sheet
according to UK REACH (SI 2020/1577) as amended

Issue date: 12.12.2025 Version number: 1 Revision date: 12.12.2025

Trade name: Tile Clean

(Contd. of page 2)

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information:** Immediately remove any clothing soiled by the product.
· **After inhalation:** Supply fresh air; consult doctor in case of complaints.
· **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
· **After eye contact:**
Check for and remove any contact lenses.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· **After swallowing:**
Wash mouth out with water
Do not induce vomiting; call for medical help immediately.
Magnesium hydroxide (milk of Magnesia) as an antacid may be given.
· **Information for doctor:** Treat symptomatically and supportively.
· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents:**
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
· **For safety reasons unsuitable extinguishing agents:** Water with full jet
· **5.2 Special hazards arising from the substance or mixture**
May react with metals, releasing hydrogen.
In case of fire, the following can be released:
Carbon monoxide and carbon dioxide
Nitrogen oxides (NOx)
Phosphorous oxides
Sulphur Oxides (SOx)
Under certain fire conditions, traces of other toxic gases cannot be excluded.
· **5.3 Advice for firefighters**
· **Protective equipment:**
Wear self-contained respiratory protective device.
Do not inhale explosion gases or combustion gases.
Wear fully protective suit.
· **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 4)

Safety Data Sheet
according to UK REACH (SI 2020/1577) as amended

Issue date: 12.12.2025 Version number: 1 Revision date: 12.12.2025

Trade name: Tile Clean

(Contd. of page 3)

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Particular danger of slipping on leaked/spilled product.
· **6.2 Environmental precautions:**
Do not allow to penetrate the ground/soil.
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
· **6.3 Methods and material for containment and cleaning up:**
Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wash the area with plenty of water.
· **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.
Safety showers and eye wash facilities should be available at the work area.
· **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.
· **Information about storage in one common storage facility:** Do not store together with alkalis (caustic solutions).
· **Further information about storage conditions:**
Store in cool, dry conditions in well sealed receptacles.
Protect from frost.
· **Storage class:** 12
· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**	
CAS: 7664-38-2 Phosphoric acid	
WEL	Short-term value: 2 mg/m³ Long-term value: 1 mg/m³

(Contd. on page 5)

Safety Data Sheet
according to UK REACH (SI 2020/1577) as amended

Issue date: 12.12.2025 Version number: 1 Revision date: 12.12.2025

Trade name: Tile Clean

(Contd. of page 4)

· **DNELs**		
CAS: 7664-38-2 Phosphoric acid		
Oral	Long-term systemic effects	100 µg/kg bw/day (general population)
Inhalative	Long-term systemic effects	4.57 mg/m³ (general population)
		10.7 mg/m³ (worker)
	Long-term local effects	1 mg/m³ (worker)
	Short-term local effects	2 mg/m³ (worker)
	Long-term local effects	360 µg/m³ (general population)
CAS: 5329-14-6 Sulphamic acid		
Oral	Long-term systemic effects	5 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	5 mg/kg bw/day (general population)
		10 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	17.4 mg/m³ (general population)
		70.5 mg/m³ (worker)
CAS: 160901-19-9 Alcohols, C12 -13- branched and linear, ethoxylated (>5-<15 EO)		
Oral	Long-term systemic effects	1.67 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	83.3 mg/kg bw/day (general population)
		233 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	4.36 mg/m³ (general population)
		24.5 mg/m³ (worker)

· **PNECs**	
CAS: 5329-14-6 Sulphamic acid	
Freshwater	1.8 mg/L
Freshwater - Intermittent releases	480 µg/L
Marine water	180 µg/L
Sewage Treatment Plant	20 mg/L
Sediment (freshwater)	8.36 mg/kg
Sediment (marine water)	840 µg/kg
Soil	5 mg/kg
CAS: 160901-19-9 Alcohols, C12 -13- branched and linear, ethoxylated (>5-<15 EO)	
Freshwater	1.23 µg/L
Freshwater - Intermittent releases	1.795 µg/L
Marine water	123 ng/L
Marine Water - Intermittent releases	179 ng/L
Sewage Treatment Plant	200 µg/L
Sediment (freshwater)	29 µg/kg
Sediment (marine water)	2.9 µg/kg
Soil	8.6 µg/kg

(Contd. on page 6)

Safety Data Sheet
according to UK REACH (SI 2020/1577) as amended

Issue date: 12.12.2025 Version number: 1 Revision date: 12.12.2025

Trade name: Tile Clean

(Contd. of page 5)

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**
· **Appropriate engineering controls** No further data; see section 7.
· **Individual protection measures, such as personal protective equipment**
· **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Take note of assigned Workplace Exposure Limits.
Do not eat or drink while working.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Ensure that eyewash stations and safety showers are close to the workstation location.
· **Respiratory protection:** Use suitable respiratory protective device only when aerosol or mist is formed.
· **Hand protection**



Protective gloves.
Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye/face protection**



Safety glasses with side-shields conforming to EN166.
Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

· **Body protection:**



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.
· **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.
· **Risk management measures** The operators shall be instructed adequately.

(Contd. on page 7)

Safety Data Sheet
according to UK REACH (SI 2020/1577) as amended

Issue date: 12.12.2025 Version number: 1 Revision date: 12.12.2025

Trade name: Tile Clean

(Contd. of page 6)

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**	
· **General Information**	
· **Physical state**	Liquid
· **Colour:**	Red
· **Odour:**	Characteristic
· **Melting point/freezing point:**	Undetermined
· **Boiling point or initial boiling point and boiling range**	100 °C (CAS: 7732-18-5 Water)
· **Flammability**	Not applicable
· **Lower and upper explosion limit**	
· **Lower:**	Not applicable
· **Upper:**	Not applicable
· **Flash point:**	Not applicable
· **Auto-ignition temperature:**	Not applicable
· **Decomposition temperature:**	Decomposition is not expected under normal conditions of use.
· **pH at 20 °C**	< 2
· **Viscosity:**	
· **Dynamic:**	Not determined
· **Solubility**	
· **water:**	Fully miscible.
· **Vapour pressure:**	Not determined
· **Density and/or relative density**	
· **Density at 20 °C:**	1.12 – 1.14 g/cm³
· **Relative density**	Not determined
· **Particle characteristics**	Not applicable
· **9.2 Other information**	
· **Appearance:**	
· **Form:**	Liquid
· **Important information on protection of health and environment, and on safety.**	
· **Ignition temperature:**	Product is not self-igniting.
· **Explosive properties:**	Product does not present an explosion hazard.
· **Change in condition**	
· **Evaporation rate**	Not determined
· **Information with regard to physical hazard classes**	
· **Corrosive to metals**	May be corrosive to metals.
· **Corrosion rate (steel)**	>6.25mm/year
· **Corrosion rate (aluminium)**	>6.25mm/year

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.
· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

(Contd. on page 8)

Safety Data Sheet
according to UK REACH (SI 2020/1577) as amended

Issue date: 12.12.2025 Version number: 1 Revision date: 12.12.2025

Trade name: Tile Clean

(Contd. of page 7)

· **10.3 Possibility of hazardous reactions** Exothermic reaction with alkalis
· **10.4 Conditions to avoid** Heat and static discharge.
· **10.5 Incompatible materials:** Strong bases.
· **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Nitrogen oxides (NOx)
Phosphorus oxides (e.g. P□O□)
Sulphur oxides (SOx)

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**		
ATE (Acute Toxicity Estimates)		
Oral	LD50	2,773.9 mg/kg

CAS: 7664-38-2 Phosphoric acid		
Dermal	LD50	2,740 mg/kg (rabbit)
CAS: 5329-14-6 Sulphamic acid		
Oral	LD50	> 2,000 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rat)

· **Primary irritant effect:**
· **Skin corrosion/irritation**
Causes skin irritation.
· **Serious eye damage/irritation** Causes serious eye damage.
· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.
· **STOT-single exposure** Based on available data, the classification criteria are not met.
· **STOT-repeated exposure** Based on available data, the classification criteria are not met.
· **Aspiration hazard** Based on available data, the classification criteria are not met.
· **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.
· **11.2 Information on other hazards**

· **Endocrine disrupting properties**
None of the ingredients are listed.

(Contd. on page 9)

Safety Data Sheet
according to UK REACH (SI 2020/1577) as amended

Issue date: 12.12.2025 Version number: 1 Revision date: 12.12.2025

Trade name: Tile Clean

(Contd. of page 8)

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**	
CAS: 5329-14-6 Sulphamic acid	
LC50 (96 h)	70.3 mg/l (Fish)
EC50 (48 h)	71.6 mg/l (Daphnia)
EC50 (72 h)	48 mg/l (Algae)

· **12.2 Persistence and degradability** The organic portion of the product is biodegradable.
· **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.
· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable
· **vPvB:** Not applicable
· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects**
· **Remark:** Harmful to fish
· **Additional ecological information:**
· **General notes:**
Harmful to aquatic organisms
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Recommended Hierarchy of Controls:
- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Contact waste processors for recycling information.
Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· **Uncleaned packaging:**
· **Recommendation:**
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
Disposal must be made according to official regulations.
Container remains hazardous when empty. Continue to observe all precautions.

(Contd. on page 10)

Safety Data Sheet
according to UK REACH (SI 2020/1577) as amended

Issue date: 12.12.2025 Version number: 1 Revision date: 12.12.2025

Trade name: Tile Clean

(Contd. of page 9)

Containers, even those that are “empty,” may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· **14.1 UN number or ID number**	
· **ADR, IMDG, IATA**	UN1805
· **14.2 UN proper shipping name**	
· **ADR**	UN1805 PHOSPHORIC ACID, SOLUTION
· **IMDG, IATA**	PHOSPHORIC ACID, SOLUTION
· **14.3 Transport hazard class(es)**	
· **ADR**	
· **Class**	8 (C1) Corrosive substances.
· **Label**	8
· **IMDG, IATA**	
· **Class**	8 Corrosive substances.
· **Label**	8
· **14.4 Packing group**	
· **ADR, IMDG, IATA**	III
· **14.5 Environmental hazards:**	Not applicable
· **14.6 Special precautions for user**	Warning: Corrosive substances.
· **Hazard identification number (Kemler code):**	80
· **Emergency Action Code:**	2R
· **EMS Number:**	F-A,S-B
· **Segregation groups**	(SGG1) Acids
· **Stowage Category**	A
· **Segregation Code**	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable

(Contd. on page 11)

Safety Data Sheet
according to UK REACH (SI 2020/1577) as amended

Issue date: 12.12.2025 Version number: 1 Revision date: 12.12.2025

Trade name: Tile Clean

(Contd. of page 10)

· **Transport/Additional information:**	
· **ADR**	
· **Limited quantities (LQ)**	5L
· **Excepted quantities (EQ)**	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· **Transport category**	3
· **Tunnel restriction code**	E
· **IMDG**	
· **Limited quantities (LQ)**	5L
· **Excepted quantities (EQ)**	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· **UN "Model Regulation":**	UN 1805 PHOSPHORIC ACID, SOLUTION, 8, III

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Poisons Act**

· **Regulated explosives precursors**		
CAS: 7664-38-2	Phosphoric acid	30%

· **Regulated poisons**
None of the ingredients are listed.

· **Reportable explosives precursors**
None of the ingredients are listed.

· **Reportable poisons**
None of the ingredients are listed.

· **Control Of Major Accident Hazards Regulations 2015 (COMAH)**
· **Named dangerous substances - ANNEX I** None of the ingredients are listed.
· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
None of the ingredients are listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
None of the ingredients are listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**
None of the ingredients are listed.

(Contd. on page 12)

Safety Data Sheet
according to UK REACH (SI 2020/1577) as amended

Issue date: 12.12.2025 Version number: 1 Revision date: 12.12.2025

Trade name: Tile Clean

(Contd. of page 11)

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients are listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients are listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Relevant phrases**
H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

· **Training hints**
This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· **Department issuing SDS:** Product safety department.

· **Abbreviations and acronyms:**
UK REACH: REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
GB CLP: REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
UFI: Unique Formula Identifier
UK- REACH: The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
GB- CLP: Retained GB CLP Regulation (EU) No. 1272/2008 as amended for Great Britain on the Classification, Labelling and Packaging of Chemicals.
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Met. Corr.1: Corrosive to metals – Category 1

(Contd. on page 13)

Safety Data Sheet
according to UK REACH (SI 2020/1577) as amended

Issue date: 12.12.2025 Version number: 1 Revision date: 12.12.2025

Trade name: Tile Clean

(Contd. of page 12)

Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3